

REMOVE STONE JAMB.

REMOVE STONE JAMBS EITHER SIDES




W1- ELEVATION FROM INSIDE



W1- SECTION

No External plaster for MIVAN WALLS




DETAIL@ 1 AL. SECTION IS DIRECTLY ANCHORED ON RC. SURFACE. (APPLICABLE FOR ALL WINDOWS

W1- PLAN


TYPE:	W1 ✓
SILL HEIGHT:	125 MM ✓
LINTEL HEIGHT:	2300 MM (INCLUDING 50MM FFL ON FLOOR) ✓
SIZE:	2425 MM X 2175 MM ✓
DESCRIPTION:	ALUMINIUM ANODISED SLIDING WINDOW WITH LOW E FLOAT GLASS OF APPROVED MAKE & COLOUR PROVIDED WITH LOCKING SYSTEM & HANDLES
LOCATION:	BEDROOMS ✓

W1


25/11/2022



W1A- ELEVATION FROM INSIDE



W1A- SECTION




W1A- PLAN

TYPE:	W1A
SILL HEIGHT:	125 MM
LINTEL HEIGHT:	2300 MM (INCLUDING 50MM FFL ON FLOOR)
SIZE:	WIDTH AS PER SITE X 2175 MM
DESCRIPTION:	ALUMINIUM ANODISED SLIDING WINDOW WITH LOW E FLOAT GLASS OF APPROVED MAKE & COLOUR PROVIDED WITH LOCKING SYSTEM & HANDLES
LOCATION:	BEDROOMS


→ WIDTH 24500/2500 AS PER SITE CONDITION

W1A

25/11/2022



W4- ELEVATION FROM INSIDE



W4- SECTION

W4- PLAN

TYPE:	W4
SILL HEIGHT:	1100 MM
LINTEL HEIGHT:	2300 MM (INCLUDING 50MM FFL ON FLOOR) ✓
SIZE:	750 MM X 1200 MM
DESCRIPTION:	ALUMINIUM ANODISED FIXED FROSTED LOUVERED PANEL WINDOW OF APPROVED MAKE & COLOUR PROVIDED WITH LOCKING SYSTEM & HANDLES WITH EXHAUST FAN
LOCATION:	TOILETS ✓


GLASS

EXCEPT FOR
F WING - UNIT - 6
E WING - Units 2 43
ALL CILLS OF W4 NEED TO BE 600 FROM FFL.


- FOR SERVICING THE SHAFT A PERSON WILL HAVE TO GET DOWN BY 1700 ≈ 6 ft. WHICH IS NOT FEASIBLE.
- ALSO THERE WILL BE MORE % of TILE WASTAGE WHICH IS NO ACCEPTABLE.
- MORE LIGHT CAN COME IN.

W4


25/11/2022



W5- ELEVATION FROM INSIDE



W5- SECTION



NEED TO BE 600
FROM FFL


REST COMMENTS
SAME AS W4.

W5- PLAN


TYPE:	W5 ✓
SILL HEIGHT:	1100 MM
LINTEL HEIGHT:	2300 MM (INCLUDING 50MM FFL ON FLOOR)
SIZE:	675 MM X 1200 MM
DESCRIPTION:	ALUMINIUM ANODISED FIXED FROSTED LOUVERED PANEL WINDOW OF APPROVED MAKE & COLOUR PROVIDED WITH LOCKING SYSTEM & HANDLES WITH EXHAUST FAN
LOCATION:	TOILETS (TOWER - F - 2BHK)

25/11/2022

W5



W6- ELEVATION FROM INSIDE



W6- SECTION

Reference detail Given in cad


EXCEPT WALL WILL BE PAINTED.

W6- PLAN


TYPE:	W6
SILL HEIGHT:	800 MM
LINTEL HEIGHT:	2300 MM (INCLUDING 50MM FFL ON FLOOR)
SIZE:	1500 MM X 1500 MM
DESCRIPTION:	ALUMINIUM ANODISED SLIDING WINDOW WITH LOW E FLOAT GLASS OF APPROVED MAKE & COLOUR PROVIDED WITH LOCKING SYSTEM & HANDLES
LOCATION:	LOBBY PASSAGE

25/11/2022


W6



W9- ELEVATION FROM INSIDE



W9- SECTION




COMMENTS SAME AS W6

W9- PLAN


TYPE:	W9
SILL HEIGHT:	800 MM
LINTEL HEIGHT:	2300 MM (INCLUDING 50MM FFL ON FLOOR)
SIZE:	750MM X ~~1500~~ 1500 MM
DESCRIPTION:	ALUMINIUM ANODISED OPENANBLE WINDOW WITH LOW E FLOAT GLASS OF APPROVED MAKE & COLOUR PROVIDED WITH LOCKING SYSTEM & HANDLES
LOCATION:	LIFT LOBBY PASSAGE

25/11/2022


W9



W7- ELEVATION FROM INSIDE



W7- SECTION




REFER Comments FOR (W6) for DETAIL@ 4 & 16.


W7- PLAN

TYPE:	W7
SILL HEIGHT:	800 MM
LINTEL HEIGHT:	2300 MM (INCLUDING 50MM FFL ON FLOOR)
SIZE:	1200 MM X 1500 MM
DESCRIPTION:	ALUMINIUM ANODISED SLIDING WINDOW WITH LOW E FLOAT GLASS OF APPROVED MAKE & COLOUR PROVIDED WITH LOCKING SYSTEM & HANDLES
LOCATION:	FIRE LIFT LOBBY AT MID-LANDING LEVEL

25/11/2022


W7





SHOW PARAPET WALL OF 1200 FROM FFL.

W8- ELEVATION FROM INSIDE



W8- SECTION

LANDING OR MID LANDING


REST SAME COMMENTS AS W6.

W8- PLAN


TYPE:	W8 ✓
SILL HEIGHT:	800 MM ✗
LINTEL HEIGHT:	2300 MM (INCLUDING 50MM FFL ON FLOOR) ✓
SIZE:	900 MM X 1500 MM
DESCRIPTION:	ALUMINIUM ANODISED SLIDING WINDOW WITH LOW E FLOAT GLASS OF APPROVED MAKE & COLOUR PROVIDED WITH LOCKING SYSTEM & HANDLES
LOCATION:	STAIRCASE -02

25/11/2022


W8



W10- ELEVATION FROM INSIDE



W10- SECTION



FRAME WILL BE DIRECTLY ANCHORED ON TO THE WALL LIKE REFERENCE FOR DETAIL @ (1).


W10- PLAN

TYPE:	W10
SILL HEIGHT:	450 MM
LINTEL HEIGHT:	2300 MM (INCLUDING 50MM FFL ON FLOOR)
SIZE:	750MM X 1500 MM
DESCRIPTION:	ALUMINIUM ANODISED SLIDING WINDOW WITH LOW E FLOAT GLASS OF APPROVED MAKE & COLOUR PROVIDED WITH LOCKING SYSTEM & HANDLES
LOCATION:	UTILITY


FIXED LOUVERS (NO GLASS)

25/11/2022


W10



SD11- ELEVATION FROM INSIDE



SD10- SECTION



SD11- PLAN

TYPE:	SD11
LINTEL HEIGHT:	2300 MM (INCLUDING 50MM FFL ON FLOOR)
SIZE:	2425 MM X 2300 MM (INCLUDING 50MM FFL ON FLOOR)
DESCRIPTION:	ALUMINIUM ANODISED 3 TRACK SLIDING DOORS WITH LOW E FLOAT GLASS OF APPROVED MAKE & COLOUR PROVIDED WITH LOCKING SYSTEM & HANDLES
LOCATION:	LIVING ROOM SLIDING DOORS

25/11/2022

SD11