

PALAVA LAKEFRONT - SERENITY ASP WING D


TOWNHOUSE - GROUND FLOOR

SR.NO	SR.NO	POINT CONTROL	MODULES	HT. OF SB (BTM OF SB FROM SL)	REMARKS
LIVING DINING					
L-01	1	BELL POINT (VDP)	1	1500MM	
L-02	1	CL - 1 (2 WAY ON L-07)	1	1250MM	
ELEC. & ELV. DB				1950MM (TOP OF DB)	
L-03	1	CL-2 (2 WAY ON L-07)	1	1250MM	
	2	FL-1	1		
L-04	1	BELL POINT (VDP)	1	1500MM	TO BE INTEGRATED WITH ALUMINUM CLADDING IN FACADE
L-05	1	CL-3	1	600MM	
	2	CL-4	1		
	3	DATA	1		
	4	AC (SWITCH)	2		
	5	FL-2, FL-3, FL-4, FL-5 (2 WAY ON 01-03)	1		
L-06	1	20A A.C. BACK BOX	2	+200MM FROM BEAM BOTTOM(BB BEAM DEPTH)	
L-07	1	CL-1 (2 WAY ON L-02)	1	600MM	TO BE PLACED IN 2 ROWS OF 6/8 MODULE BOARDS INSTEAD OF ONE LARGE 10/12 MODULE SQUARE BOX
	2	CL-2 (2 WAY ON L-03)	1		
	3	CL-5	1		
	4	CL-6	1		
	5	CL-7	1		
	6	F-2 (ONLY REGULATOR)	2		
	7	TELEPHONE POINT	1		
	8	INTERCOM	1		
	9	6-A, 2 SOCKETS WITH 2 SWITCH	6		
L-8	1	CL-8	1	1250MM	TO BE PLACED IN 2 ROWS OF 6/8 MODULE BOARDS INSTEAD OF ONE LARGE 10/12 MODULE SQUARE BOX
	2	CL-9	1		
	3	BL-1	1		
	4	F-1 (ONLY REGULATOR)	2		
	5	AC(SWITCH)	2		
	6	6-A SOCKET WITH SWITCH	3		
L9	1	20A A.C. BACK BOX	2	+200MM FROM BEAM BOTTOM(BB BEAM DEPTH)	
L10	1	BELL POINT (VDP)	1	1500MM	
PASSAGE					
P-01	1	CL-10	1	1250MM	
	2	CL-11	1		
	3	VDP	1	1500MM	TO BE DISCUSSED
KITCHEN & UTILITY					
K-01	1	CL-13	1	1250MM	
	2	CL-14	1		
	3	6-A SOCKET WITH SWITCH	3		
	4	EXHAUST FAN	1		
	5	F-3 (ONLY REGULATOR)	2		
K-02	1	16-A SOCKET WITH SWITCH FOR REFRIDGERATOR	3	1250MM	
K-03	1	16-A SOCKET & SWITCH FOR MICROWAVE	3	1250MM	
K-04	1	6-A SOCKET WITH SWITCH FOR MIXER GRINDER	3	1250MM	
K-05	1	6-A SOCKET WITH SWITCH FOR WATER PURIFIER	3	1600MM	
U-01	1	CL-15	1	1250MM	
U-02	1	16-A SOCKET WITH SWITCH FOR WASHING MACHINE	3	1250MM	
SERVANT ROOM					
SR-01	1	BL-7	1	1250MM	
	2	F-4 (ONLY REGULATOR)	2		
	3	6-A SOCKET WITH SWITCH	3		
SERVANT TOILET					
ST-01	1	BL-9 / EXHAUST FAN	1	1250MM	
	2	6-A SOCKET WITH SWITCH	3		
	3	GEYSER (SWITCH WITH INDICATOR)	1		
ST-02	1	20-A SOCKET FOR GEYSER	2	2100MM	INSTANT GEYSER
POWDER TOILET					
T-01	1	BL-2 / EXHAUST FAN	1	1250MM	
	2	BL-3	1		
	3	GEYSER (SWITCH WITH INDICATOR)	1		
	5	6-A SOCKET WITH SWITCH	3		
T-02	1	20-A SOCKET FOR GEYSER	2	2600MM	STORAGE GEYSER ABOVE FALSE CEILING
BEDROOM - 01					
01-01	1	CL-12 (2 WAY ON 01-02)	1	1250MM	
01-02	1	CL-12 (2 WAY ON 01-01)	1	600MM	
	2	CL-18	1		
	3	CL-19	1		
	3	6-A SOCKET WITH SWITCH	3		
	4	F-5 (ONLY REGULATOR)	2		
01-03	1	CL-16	1	600MM	
	2	CL-17	1		
	3	FL-2, FL-3, FL-4, FL-5 (2 WAY ON L-05)	1		
	5	6-A SOCKET WITH SWITCH	3		
	6	AC (SWITCH)	2		
01-04	1	TV POINT	1	600MM	STB + TV ON SINGLE SWITCH [REFER KEY ELEVATION]
	2	6-A , 1 SOCKET WITH 1 SWITCH	5		
01-04A	1	6-A TV SOCKET		850MM	
01-05	1	20A A.C. BACK BOX	2	+200MM FROM BEAM BOTTOM(1950 BEAM DEPTH)	
TOILET-01					
T1-01	1	BL-4	1	1250MM	
	2	BL-5	1		
	3	GEYSER (SWITCH WITH INDICATOR)	1		
	4	EXHAUST FAN	1		
	5	6-A SOCKET WITH SWITCH	3		
T1-02	1	20-A SOCKET FOR GEYSER	2	2600MM	STORAGE GEYSER ABOVE FALSE CEILING

GENERAL NOTES

1. All dimensions are in millimeters and levels in meters unless specified otherwise.
2. Do not scale the drawing, follow written dimensions.
3. All dimensions are unfinished dimensions unless specified otherwise.
4. Any discrepancies should be brought to the notice of the Architect prior to execution of job / procuring materials at site.
5. This drawing is the property of Kapadia Associates and should not be reproduced, copied, handed over to a third party or used for any purpose other than for which it has been issued.
6. This drawing is to be read in conjunction with all relevant structural & services drawings.

KEY PLAN



REVISION INDEX

REV.NO.	DATE	DESCRIPTION

CONSULTANTS

STRUCT BOMBAY CONSULTANTS.
Structural Consultants
Tel : 022-24937510,24933986
email : sbcbom@gmail.com

MICRO-ENGINEERING
MEP Consultants
Tel : 0120-4558718
email : business@meindia.com

PBB
Planner /Landscape Architect
Tel : 079 6923054
email : landscapeindia@usg.net


STAMP & SIGN	NORTH
	N

PROJECT TITLE	PROJ.NO
PALAVA-LAKEFRONT SECTOR- 4	L-10518
DRAWING TITLE	DWG.NO
AR-SERENITY WING D - ELECTRICAL LAYOUT (GROUND FLOOR)	801.1
DRAWING STAGE	REV.NO
WORKING DRAWING	R-00


DRAWN	CHECKED	SCALE	DATE
BB	ES	AS.SPEC	29-01-2020

KAPADIA ASSOCIATES
architecture urban design
112-114,
Krushal Commercial Centre,Dr. B.S. Rao Road,
Off Ambedkar Road,Parel East,
Mumbai 400012
Tel : 91-22-6665 2838 / 39
Fax : 91-22-6665 2840
E-mail : kaa@vsnl.in
Website : www.kapa.in


LEGEND			
	CEILING FAN		EXHAUST FAN
	CEILING LIGHT		FIRE ALARM SOUNDER/HOOTER
	WALL BRACKET	MCP	MANUAL CALLPOINT
	AIR CONDITIONER		ACCESS P.COINT
	WALL BRACKET(CORRIDOR)		DOME CAMERA
	CONCEALED CEILING ROSE		GARDEN FOOT LIGHT
	FIRE PANEL	6A	6 AMP SWITCH + SOCKET



TELEVISION SWITCH BOARD DETAILS



SB 1



DETAILS FOR AC BACK BOX

GENERAL NOTE :

1. ALL BRACKET LIGHTS IN TOILET @ 2500 MM FROM SLAB.
2. ALL BRACKET LIGHTS @2500MM FROM SLAB EXCEPT UTILITY AREA.
3. ALL BRACKET LIGHTS IN UTILITY AREA TO BE 100MM ABOVE BEAM BOTTOM (REFER ELEVATIONS)
4. ALL EXHAUST FAN ARE NOSE @ 2500 MM FROM SLAB.
5. ALL HEIGHTS FROM SLAB.
6. ALL GARDEN WALL BRACKETS TO BE AT 900 FROM PLINTH LEVEL.
7. ALL SET-OUT DIMENSIONS FOR SB ARE FOR FINISHED SB PLATE.
8. ***FOR 6/xx ON PELMET, AC BACK BOX LOCATION TO BE ESTABLISHED ON FALSE CEILING USING BLANK PLATES. SIMILARLY FOR 6/xx ON WALL, SAME TO BE DONE FOR LIGHT POINTS IN PASSAGE AREA. THEIR LOCATION TO BE ESTABLISHED ON FALSE CEILING USING BLANK PLATES.***