

PALAVA LAKEFRONT - SERENITY ABPI WING D

2ND FLOOR - 3BHK UNIT

SR.NO	SR.NO	POINT CONTROL	MODULES	HT. OF SB (BTM OF SB FROM SL)	REMARKS
ENTRANCE FOYER					
L-01	1	VDP BOX	1	1450MM	
POWER & ELV DB				1950MM (TOP OF DB)	
LIVING-DINING					
L-02	1	CL-1 (2 WAY @L-05)	1	1250MM	
L-03	1	CL-04	1	1250MM	
	2	6-A SOCKET WITH SWITCH	3		
	3	F-2 (REGULATOR)	2		
	4	BL-01	1		
	5	A/C (SWITCH)	1		
L-04	1	20A A/C BLACK BOX	2	2700MM	
L-05	1	CL-03	1	600MM	TO BE PLACED IN 2 ROWS OF 6/8 MODULE BOARDS INSTEAD OF ONE LARGE 10/12 MODULE SQUARE BOX
	2	F-1 (REGULATOR)	2		
	3	CL-01 (2 WAY @ L-02)	1		
	4	CL-02	1		
	5	6A SOCKET WITH SWITCH	3		
	6	BL-11	1		
	7	TELEPHONE POINT	1		
	8	CL-18	1		
L-06	1	TV	1	600MM	
	2	DATA	1		
	3	6A 3 SOCKETS WITH 1 SWITCH	7		
PASSAGE					
P-01		CL-07	1	1250MM	
VDP	1	VDP BOX	2	1500MM	
KITCHEN					
K-01	1	CL-05	1	1250MM	
	2	CL-06	1		
	3	F-3 (REGULATOR)	2		
	4	HOB CHIMNEY SWITCH	1		
	5	EXHAUST FAN	1		
	6	BL-08 (UTILITY AREA)	1		
K-02	1	6-A SOCKET FOR HOB CHIMNEY	2	1600MM	
K-03	1	16-A SOCKET WITH SWITCH FOR REFRIDGERATOR	3	1350MM	
K-04	1	6-A SOCKET & SWITCH (GENERAL)	3	1250MM	
	2	16-A SOCKET & SWITCH FOR MICROWAVE	3		
K-05	1	6-A SOCKET WITH SWITCH FOR WATER PURIFIER	3	1600MM	
K-06	1	16-A SOCKET WITH SWITCH FOR WASHING MACHINE	3	1250MM	
GUEST BEDROOM					
GB-01	1	CL-9	1	1250MM	
GB-02	1	F-4 (ONLY REGULATOR)	2	600MM	
	2	BL-04	1		
	3	6-A SOCKET WITH SWITCH	3		
GB-03	1	CL-10	1	600MM	
	2	AC (SWITCH)	1		
	3	6-A SOCKET WITH SWITCH	3		
	4	CL-17	1		
GB-04	1	TV POINT	1	600MM	
	2	6-A - 2 SOCKETS WITH 1 SWITCH	5		
GB-05	1	20-A A.C BLACK BOX	2	2700MM	
TOILET -02					
T-01	1	BL-02	1	1250MM	
	2	BL-03	1		
	3	GEYSER (SWITCH)	1		
	4	EXHAUST FAN	1		
	5	6-A SOCKET WITH SWITCH	3		
T-02	1	16-A SOCKET FOR GEYSER	2	2700MM	
MASTER TOILET					
MT-01	1	BL-06	1	1250MM	
	2	BL-07	1		
	3	GEYSER (SWITCH)	1		
	4	EXHAUST FAN	1		
	5	6-A SOCKET & SWITCH	3		
MT-02	1	16-A SOCKET FOR GEYSER	2	2700MM	
BEDROOM - 1					
BR-01	1	CL-11	1	1250MM	
BR-02	1	F-05 (ONLY REGULATOR)	2	600MM	
	2	BL-05	1		
	3	6-A SOCKET WITH SWITCH	3		
BR-03	1	CL-12	1	600MM	
	1	AC (SWITCH)	1		
	1	6-A SOCKET WITH SWITCH	3		
	1	CL-16	1		
BR-04	1	TV POINT	1	600MM	
	2	6-A - 2 SOCKETS WITH 1 SWITCH	5		
BR-05	1	20A A/C BLACK BOX	2	2700MM	
MASTER BEDROOM					
MB-01	1	CL- 8 (2 WAY)	1	1250MM	
MB-02	1	CL-14	1	600MM	
	2	AC (SWITCH)	1		
	3	6-A SOCKET WITH SWITCH	3		
	4	CL-15	1		
MB-03	1	CL-13	1	600MM	
	2	F-06 (ONLY REGULATOR)	2		
	3	6-A SOCKET WITH SWITCH	3		
	5	BL-10	1		
	6	CL-8 (2 WAY)	1		
MB-04	1	20-A A.C BACK BOX	2	2700MM	
MB-05	1	TV POINT	1	1250MM	
	2	6A - 2 SOCKETS + 1 SWITCH	5		
TOILET - 01					
T-01	1	BL-12	1	1250MM	
	2	BL-09	1		
	3	GEYSER (SWITCH)	1		
	4	EXHAUST FAN	1		
	5	6-A SOCKET WITH SWITCH	3		
T-02	1	16-A SOCKET FOR GEYSER	2	2700MM	

LEGEND

	CEILING FAN		EXHAUST FAN
	CEILING LIGHT		FIRE ALARM SOUNDER/HOOTER
	WALL BRACKET	MCP	MANUAL CALLPOINT
	AIR CONDITIONER		ACCESS PCOINT
	WALL BRACKET(CORRIDOR)		DOME CAMERA
	CONCEALED CEILING ROSE		GARDEN POOT LIGHT
	FIRE PANEL	6A	6 AMP SWITCH 4 SOCKET


GENERAL NOTE :

1. ALL BRACKET LIGHTS IN TOILET @ 2500 MM FROM SLAB.
2. ALL BRACKET LIGHTS @2000MM FROM SLAB EXCEPT UTILITY AREA.
3. ALL BRACKET LIGHTS IN UTILITY AREA TO BE 150MM ABOVE BEAM BOTTOM (REFER ELEVATION).
4. ALL EXHAUST FAN TO BE @ 2000 MM FROM SLAB.
5. ALL HEIGHTS FROM SLAB.
6. ALL GARDEN WALL BRACKETS TO BE AT 900 FROM PLINTH LEVEL.
7. ALL SET OUT DIMENSIONS FOR DB ARE FOR FINISHED DB PLATE.
8. *FOR IDUs ON PELMET, AC BACK BOX LOCATION TO BE ESTABLISHED ON FALSE CEILING USING BLANK PLATES. SAME TO BE DONE FOR LIGHT POINTS IN PASSAGE AREA. THEIR LOCATION TO BE ESTABLISHED ON FALSE CEILING USING BLANK PLATES.*

GENERAL NOTES

1. All dimensions are in millimeters and levels in meters unless specified otherwise.
2. Do not scale the drawing; follow written dimensions.
3. All dimensions are unfinished dimensions unless specified otherwise.
4. Any discrepancies should be brought to the notice of the Architect prior to execution of job / procuring materials at site.
5. This drawing is the property of Kapadia Associates and should not be reproduced, copied, handed over to a third party or used for any purpose other than for which it has been issued.
6. This drawing is to be read in conjunction with all relevant structural & services drawings.

KEY PLAN



REVISION INDEX

REV.NO.	DATE	DESCRIPTION

CONSULTANTS

STRUCT BOMBAY CONSULTANTS.
Structural Consultants
Tel : 022-24937510,24933986
email : sbdcon@gmail.com

MICRO ENGINEERING
MEP Consultants
Tel : 0120-4558718
email : business@meindia.com

PBB
Planner /Landscape Architect
Tel : 079 9923054
email : landscapeindia@usq.net

STAMP & SIGN

NORTH

N

PROJECT TITLE	PROJ.NO
PALAVA-LAKEFRONT SECTOR- 4	**L-10518**
DRAWING TITLE	DWG.NO
AR-SERENITY WING D - ELECTRICAL LAYOUT (2ND FLOOR)	**801.3**
DRAWING STAGE	REV.NO
WORKING DRAWING	**R-00**

DRAWN	CHECKED	SCALE	DATE
BB	ES	AS.SPEC	20-02-2020

KAPADIA ASSOCIATES
architecture urban design
112-114, Peninsula Centre,Dr. S.S. Rao Road, Off Ambedkar Road,Parel East, Mumbai 400012.
Tel : 91-22-6660 2838 / 39
Fax : 91-22-6660 2844
E-mail : kap@kapll.in
Website : www.kapll.in