3RD FLOOR PLAN
426 CARS

GENERAL NOTES

1 : All dimensions are in millimeters and levels in meters unless specified otherwise.
2 : Do not scale the drawing; follow written dimensions.
3 : All dimensions are unfinished dimensions unless specified otherwise.
4 : Any discrepancies should be brought to the notice of the Architect prior to execution of job / procuring materials at site.
5 : This drawing is the property of Kapadia Associates and should not be reproduced, copied, handed over to a third party or used for any purpose other than for which it has been issued.
6 : This drawing is to be read in conjunction with all relevant structural & services drawings.

NOTES

1 : THIS DRAWING IS TO BE READ IN CONJUNCTION WITH MEP DRAWINGS FOR CUT-OUT LOCATION AND EQUIPMENT LAYOUT.

REVISION INDEX

REV.NO.	DATE	DESCRIPTION
R - 00	27/11/2018	• GENERAL ARRANGEMENT
R - 01	20/09/2018	• BASEMENT PARKING ADDED • GROUND FLOOR LEVELS REVISED
R - 02	27/09/2018	• BASEMENT EXTENT AND LEVELS REVISED
R - 03	05/10/2018	• COLUMNS OF BASEMENT & TYPICAL REVISED
R - 04	27/11/2018	• FACADE REVISED
R - 05	10/12/2018	• MEP SCHEME INCORPORATED
R - 06	27/05/2019	• RAMP CIRCULATION REVISED
R - 07	30/08/2019	• SWITCHING STATION LOCATION REVISED
R - 08	15/10/2019	• STAIRCASE ADDED AND FTTX ROOM LOCATION REVISED
R - 09	26-12-2019	• IN ZONE-1 & 2 STAIRCASE LOCATION REVISED AS PER LIAISON.
R - 10	18/03/2020	• 13TH FLOOR ADDED
R - 11	15/01/2021	• W1 WINDOW ADDED TO GROUND FLOOR CORE 202
R - 12	29/01/2021	• BASEMENT LAYOUT REVISED

LEGEND FOR WALL THICKNESS	LEGEND FOR SLAB SUNK
R.C.C. COLUMNS AND SHEAR WALLS	GROUND LOBBY EXTENT
NON STRUCTURAL RCC WALL	50 MM TOILET SUNK SLAB
100 MM BLOCK WORK	200 MM SUNK SLAB
150 MM BLOCK WORK	300MM UTILITY SUNK
200 MM BLOCK WORK	HATCHED MARKED GRADE SLAB TO BE CAST AFTER LAYING THE SERVICES.
230 MM BLOCK WORK	SERVICE SLAB SUNK
300 MM BLOCKWORK	CHAJJA BEAM BOTTOM
REDUCTION SIDE OF THE COLUMN	WATER TANK
FIXED EDGE OF THE COLUMN	350MM FILL AT P2 LEVEL
BUILDING EXTENT LINE	CUTOUTS IN SLAB
STRUCTURAL BEAM	BRICK FILL
APPROVED MS GRATING COVER AS PER STP CONSULTANT	EARTH FILL

LEGEND - SLIDING DOOR SCHEDULE

S.NO.	DOOR NO.	AREA	SILL HT.	LINTEL HT.	OPENING SIZE	DESCRIPTION
1	SD1	PANEL ROOM	0	2500	2000 x 2500	

LEGEND - DOOR SCHEDULE

S.NO.	DOOR NO.	AREA	SILL HT.	LINTEL HT.	OPENING SIZE	DESCRIPTION
1	D1	STAIRCASE	0	2200	1100 x 2200	SINGLE LEAF TWO HOUR FIRE RATED METAL DOOR ENAMEL COATED TO APPROVED SHADE WITH PANIC BAR
2	D2	SERVICES AREA	0	2200	1100 x 2200	SINGLE SHUTTER TWO HOUR FIRE RATED METAL DOOR ENAMEL COATED TO APPROVED SHADE
3	D3	TOILET DOOR	0	2200	1000 x 2200	SINGLE SHUTTER WOODEN DOOR WITH APPROVED LAMINATE FINISH
4	D4	SECURITY CABIN	0	1850	800 x 1850	SINGLE SHUTTER WOODEN DOOR WITH APPROVED LAMINATE FINISH
5	D5	HVAC FAN ROOM	0	2200	900 x 2200	SINGLE SHUTTER TWO HOUR FIRE RATED METAL DOOR ENAMEL COATED TO APPROVED SHADE
6	D6	SERVICES ROOM	0	2200	1100 x 2200	SINGLE SHUTTER TWO HOUR FIRE RATED METAL DOOR ENAMEL COATED TO APPROVED SHADE
7	D7	STP ROOMS	0	2200	1000 x 2200	DOUBLE SHUTTER TWO HOUR FIRE RATED METAL DOOR ENAMEL COATED TO APPROVED SHADE
8	D8	BLOWER ROOM & CHEMICAL STORE	0	2200	1200 x 2200	DOUBLE SHUTTER TWO HOUR FIRE RATED METAL DOOR ENAMEL COATED TO APPROVED SHADE
9	D9	TOILET DOOR	0	1850	750 x 1850	SINGLE SHUTTER WOODEN DOOR WITH APPROVED LAMINATE FINISH
10	D10	STP METER ROOM	0	2200	2200 x 2200	DOUBLE SHUTTER TWO HOUR FIRE RATED METAL DOOR ENAMEL COATED TO APPROVED SHADE
11	D11	SERVICES AREA	0	2200	1200 x 2200	SINGLE SHUTTER TWO HOUR FIRE RATED METAL DOOR ENAMEL COATED TO APPROVED SHADE

LEGEND - DUCT DOOR SCHEDULE

S.NO.	DOOR NO.	AREA	SILL HT.	LINTEL HT.	OPENING SIZE	DESCRIPTION
1	DD1	VACANT SHAFT	550	2050	450 x 1500	
2	DD2	ELV, SPRINKLER & PLUM. SHAFT	550	2050	600 x 1500	SINGLE SHUTTER TWO HOUR FIRE RATED METAL DOOR ENAMEL COATED TO APPROVED SHADE
3	DD3	ELEC & MVAC SHAFT	550	2050	900 x 1500	SINGLE SHUTTER TWO HOUR FIRE RATED METAL DOOR ENAMEL COATED TO APPROVED SHADE
4	DD4	FIRE SHAFT	550	2050	1200 x 1500	DOUBLE SHUTTER TWO HOUR FIRE RATED METAL DOOR ENAMEL COATED TO APPROVED SHADE WITH VISION

LEGEND - ROLLING SHUTTER SCHEDULE

S.NO.	DOOR NO.	AREA	SILL HT.	LINTEL HT.	OPENING WIDTH	DESCRIPTION
1	RS1	SHOP	0	BEAM BOTTOM	6000	
2	RS2	SERVICES ENTRY	0	BEAM BOTTOM	3000	
3	RS3	SERVICES ENTRY	0	BEAM BOTTOM	3500	
4	RS4	SERVICES ENTRY	0	BEAM BOTTOM	2000	
5	RS5	SERVICES ENTRY	0	BEAM BOTTOM	1200	
6	RS6	SERVICES ENTRY	0	BEAM BOTTOM	1500	
7	RS7	SERVICES ENTRY	0	BEAM BOTTOM	2400	
8	RS8	SERVICES ENTRY	0	BEAM BOTTOM	3425	

LEGEND - MESH PANEL SCHEDULE

S.NO.	DOOR NO.	AREA	SILL HT.	LINTEL HT.	OPENING WIDTH	DESCRIPTION
1	M1	GAS BANK	0	BEAM BOTTOM	1550	LOWER PORTION TO BE OPENABLE FOR ACCESS TO GAS BANK AREA, MESH AS PER APPROVED SAMPLE & FINISH

LEGEND - GLAZING SCHEDULE

S.NO.	DOOR NO.	AREA	SILL HT.	LINTEL HT.	OPENING WIDTH	DESCRIPTION
1	GL1	ENTRY	0	BEAM BOTTOM	2060	
2	GL2	ENTRY	0	BEAM BOTTOM	2000	

LEGEND - WINDOW SCHEDULE

S.NO.	DOOR NO.	AREA	SILL HT.	LINTEL HT.	OPENING WIDTH	DESCRIPTION
1	W1	STAIRCASE & SHAFT	900	BEAM BOTTOM	900	2 PANEL SLIDING WINDOW
2	W1-A	STAIRCASE	900	BEAM BOTTOM	750	2 PANEL SLIDING WINDOW
3	W2	TOILET	1200	BEAM BOTTOM	900	OPENABLE GLASS LOUVERED WINDOW
4	W3	SECURITY CABIN	800	BEAM BOTTOM	900	
5	W3A	SECURITY CABIN	800	BEAM BOTTOM	1550	

STAMP & SIGN	NORTH
	N
PROJECT TITLE	PROJ.NO
LODHA PALAVA,SEC-06 -	L-10718
DRAWING TITLE	DWG.NO
3RD FLOOR PLAN	203-B
DRAWING STAGE	REV.NO
WORKING DRAWING	R-12

DRAWN	CHECKED	SCALE	DATE
SD	AP	1:150	19-02-2021

KAPADIA ASSOCIATES
architecture • urban design
112-114
Peninsula Centre,Dr. S.S. Rao Road,
Off Ambedkar Road,Parel East,
Mumbai 400012
Tel : 91-22-6660 2838 / 39
Fax : 91-22-6660 2844
E-mail : kapl@kapl.in
Website: www.kapl.in