MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 0251-2310 67 /2310212
Fax : 0251-2310 92
Emaii : rokalyan@mpcb.gov.in
Visit At : http://mpcb.gov.in

Sidhivinayak Sankul 3rd floor, Near Oak Baug, Station Road,
Kalyan - 421301

Green/S.S.I *Date: 05/Aug/2014*
Consent No: MPCB/14/07394

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundry Movement) Rules 2008.
[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

.....

CONSENT is hereby granted to

M/s. ACC LTD RMC Plant.,
S. No. 139/2A and 2B, Lodha Palava, Palava, Khoni Gaon, Near Padghyacha Pada, Badlapur-Taloja MIDC Road, Dombivali (E), Dist - Thane.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. **The Consent to Operate is granted for a period up to: 31/07/2017.**
2. **The Consent is valid for the manufacture of –**

Sr. No.	Product Name	Maximum Quantity	UOM
1	Ready Mix Concrete	10000	m3/month

3. **CONDITIONS UNDER WATER ACT:**

(i) The daily quantity of trade effluent from the factory shall not exceed NIL.
(ii) The daily quantity of sewage effluent from the factory shall not exceed **2.00M³.**
(iii) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

(1)	Suspended Solids	Not to exceed 100	mg/l.
(2)	BOD 3 days 27o C.	Not to exceed 100	mg/l.

(vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(viii)**Other Conditions:** Industry should monitor effluent quality regularly.

Scanned by CamScanner